

SEALED BID

CITY OF MOBILE

BID SHEET

Do Not Return Via Email or Fax

**Purchasing Department
and Package Delivery:**

This is Not an Order

Mailing Address:
P. O. Box 1948
Mobile, Alabama 36633
(251) 208-7434

**Government Plaza
4th Floor, Room S-408
205 Government St.
Mobile, Alabama 36644**

**READ TERMS AND CONDITIONS
ON REVERSE SIDE OF THIS PAGE
BEFORE BIDDING**

Postal Service Does Not Deliver to This Street Address

Typed by: _____ en Buyer: 002

Please quote the lowest price at which you will furnish the articles listed below

DATE 08/02/2023	BID NO. 5831	DEPARTMENT Motor Pool	Commodities to be delivered F.O.B. Mobile to: To Be Specified
---------------------------	------------------------	---------------------------------	---

This bid must be received and stamped by the Purchasing office not later than: 12:01 PM, FRIDAY, AUGUST 25, 2023

QUANTITY	ARTICLES	UNIT	UNIT PRICE		EXTENSION	
			Dollars	Cents	Dollars	Cents
Appx. 1-10	<p>2023 OR NEWER 16,000 GVW CREW CAB 4 X 2 TRUCK WITH DROP SIDE CONTRACTOR DUMP BODY OR LANDSCAPE DUMP BODY</p> <p>2023 or Newer 16,000 GVW Crew Cab 4 x 2 Truck with Drop Side Contractor Dump Body as per the following and ATTACHED MINIMUM Specifications.</p> <p>Chassis: Make: _____ Model: _____</p> <p>Body: Make: _____ Model: _____</p> <p>Provide Literature and Specifications on product bid.</p> <p>Upon award the City will purchase a minimum of one (1) 16,000 GVW Crew Cab 4 x 2 Truck with Drop Side Contractor Dump Body.</p> <p>City desires that the height of the body loaded not to be more than 38 inches from the road surface.</p> <p>Height of truck bed fully loaded above road surface: _____</p> <p>Height of truck bed empty: _____</p> <p>Height of bed may be consideration in the award of this bid.</p>					
Appx. 1-10	<p>2023 or Newer 16,000 GVW Crew Cab 4 x 2 Truck with Landscape Dump Body as per the following and ATTACHED MINIMUM Specifications:</p> <p>Chassis: Make: _____ Model: _____</p> <p>Body: Make: _____ Model: _____</p> <p>Provide Literature and Specifications on product bid.</p>					
			TOTAL			

**RETURN ONE SIGNED COPY OF THIS BID
IN ENCLOSED ENVELOPE**

State delivery time within _____ days of receipt of P.O.

Phone Number _____

Firm Name _____

Email Address _____

Signature _____

We will allow a discount _____ % 20 days from date of receipt of goods and correct invoice of completed order

Type or Print Name _____

1. All quotations must be signed with the firm name and by an authorized officer or employee.
2. Verify your bid before submission as it cannot be changed or corrected after being opened. In case of error in extension of prices, the unit price will govern.
3. If you do not bid, return this sheet and state reason. Otherwise, your name may be removed from our mailing list.
4. The right is reserved to reject any, or all quotations, or any portions thereof, and to waive technicalities if deemed to be in the interest of the City of Mobile.
5. This bid shall not be reassignable except by written approval of the Purchasing Agent of the City of Mobile.
6. State brand and model number of each item. All items bid must be new and latest model unless otherwise specified.
7. If bid results are desired, enclose a self-addressed and stamped envelope with your bid. (All or None bids only)
8. Do not include Federal Excise Tax as an exemption certificate will be issued in lieu of same. The City is exempt from the State of Alabama and City sales taxes.
9. PRICES ARE TO BE FIRM AND F.O.B. DESTINATION UNLESS OTHERWISE REQUESTED.
10. BID WILL BE AWARDED ON ALL OR NONE BASIS UNLESS OTHERWISE STATED.
11. Bids received after specified time will be returned un-opened.
12. Failure to observe stated instructions and conditions will constitute grounds for rejection of your bid.
13. Furnish literature, specifications, drawings, photographs, etc., as applicable with the items bid.
14. Vendor may be required to obtain City of Mobile Business License as applicable to City of Mobile Municipal Code Section 34-50. For Business License inquiry, contact the Revenue Department at (251) 208-7462 or cityofmobile.org/business-license-overview/
15. **IF** a bid bond is required in the published specifications, see below:
Each bid shall be accompanied by a **Cashier's Check, Certified Check, Bank Draft or Bid Bond** for the sum of five (5) Percent of the amount bid, made payable to the City of Mobile and certified by a reputable banking institution. All checks shall be returned promptly, except the check of the successful bidder, which shall be returned after fulfilling the bid.
16. Contracts in excess of \$50,000 require that the successful bidder make every possible effort to have at least fifteen (15) percent of the total value of the contract performed by socially and economically disadvantaged individuals.
17. All bids/bid envelopes must have the bid number noted on the front. Bids that arrive unmarked and are opened in error shall be returned to vendor as an unacceptable bid.
18. If successful vendor's principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do business in the State of Alabama from the Alabama Secretary of State prior to issuance of a Purchase Order. Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx. Please note that the time between application for and issuance of a Certificate of Authority may be several weeks.
19. Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State to submit a bid, but may need to obtain the Business License and Certificate of Authority if applicable, prior to issuance of a Purchase Order.
20. Bids and addendums are posted at www.cityofmobile.org/services/business/bids/. It is the responsibility of the vendor to check the City's bid page for updates and addendums.
21. Vendors must be able to provide the following upon request. Federal W-9 form, proof of registration in the E-Verify program, and Certificate of Authority to do business in Alabama/Registration with the Alabama Secretary of State within 24 hours of request.
22. City of Mobile applies local vendor preference to all purchases: Code of Alabama, 1975, Sections 41-16-50(a) and 41-16-50(d), except federally funded grants.
23. Equal Employment Opportunity. Except as otherwise provided under 41 CFR part 60, all contracts that meet the definition of "federally assisted construction contract" in 41 CFR Part 60-1.3 must include the equal opportunity clause provided under 41 CFR 60-1.4(b), in accordance with Executive Order 11246, "Equal Employment Opportunity" (30 FR 12319, 12935, 3 CFR Part, 1964-1965 Comp., p. 339), as amended by Executive Order 11375, "Amending Executive Order 11246 Relating to Equal Employment Opportunity," and implementing regulations at 41 CFR part 60, "Office of Federal Contract Compliance Programs, Equal Employment Opportunity, Department of Labor."
24. Davis-Bacon Act, as amended (40 U.S.C. 3141-3148) will apply when required by Federal program regulations.

BID CONTINUATION SHEET

QUANTITY	ARTICLES	UNIT	UNIT PRICE		EXTENSION	
			Dollars	Cents	Dollars	Cents
Page 2 of 3	<p style="color: red; font-size: small;">Bid on this form ONLY. Make no changes on this form. Additional information to be submitted on separate sheet and attached hereto.</p> <p>Upon award the City will purchase a minimum of one (1) 16,000 GVW Crew Cab 4 x 2 Truck with Landscape Dump Body.</p> <p>Height of truck bed fully loaded above road surface: _____</p> <p>Height of truck bed empty: _____</p> <p>Furnish Factory Literature and Specifications.</p> <p>Colors ordered may be standard colors. Initial purchase will be white.</p> <p>Different prices for different colors not acceptable.</p> <p>NOTE: Front four (4) Corner Warning Lights shall NOT be installed in headlight/turn signal/parking light fixtures. Any vehicle delivered with the front four corner warning lights installed in the headlight/turn signal/parking light fixtures will be refused and only accepted once vendor replaces the light fixture with the new ones. Rear corner lights shall be separate mounts from rear lights.</p> <p>Vehicle(s) are to be delivered with four (4) sets of fully functional keys that include the electronics and are coded to start the vehicles.</p> <p>Include the price of Application for Certificate of Title in your bid price. All standard items as stated in your model Literature must remain on vehicle, not removed except as noted.</p> <p>City of Mobile Business License Required – See Item 14 (on reverse side)</p> <p>All vendors will be required to provide verification of enrollment in the E-Verify program. Additional information may be found at http://immigration.alabama.gov/</p> <p>If the successful vendor's principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do business in the State of Alabama from the Secretary of State prior to issuance of a Purchase Order.</p> <p>Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See: www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx. Please note that the time between application for the issuance of a Certificate of Authority may be several weeks.</p>					
			TOTAL			

RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name _____
By _____

We will allow a discount _____ % 20 days from date of receipt of goods and correct invoice of competed order.

BID CONTINUATION SHEET

QUANTITY	ARTICLES	UNIT	UNIT PRICE		EXTENSION	
			Dollars	Cents	Dollars	Cents
<p>Page 3 of 3</p> <p>Upon notification, vendor will have 10 business days to provide the Certificate of Authority and the E-Verify numbers to the Purchasing Department before award can be completed.</p> <p>(Vendors will possibly need to pay the expedite fee to meet this requirement because application is not sufficient. We must have a copy of the certificate with your Company ID number).</p> <p>Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State, nor the E-Verify for certification to submit a bid, but will need to obtain the Business License and Certificate of Authority verification and/or provide the E-Verify Certification, if applicable, prior to issuance of a Purchase Order.</p> <p>State of Alabama Local Vendor Preference Law 41-16-50 (a) and (d) will apply to this purchase.</p> <p>Vendor shall provide ALL Service and Parts Manuals for these vehicles for use by the City of Mobile.</p> <p>Pricing shall be good for the model year bid. At the option of the City of Mobile and the Successful Vendor, the award of this bid may be extended for two (2) additional model years.</p> <p>Be sure to sign and return this page including the terms and conditions on the reverse of Page 1.</p> <p>THE CITY OF MOBILE DOES NOT ACCEPT VENDOR'S TERMS AND CONDITIONS.</p> <p>If you have any questions, please feel free to contact the Purchasing Department at 251-208-7434 or purchasing@cityofmobile.org.</p> <p>TO BE AWARDED ON A PER ITEM BASIS.</p>						
			TOTAL			

RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name _____
 By _____

We will allow a discount _____ % 20 days from date of receipt of goods and correct invoice of competed order.

SPECIFICATIONS

1 – 10 ²⁰²³ or newer Ford F450 or equal 4 door crew cab 16,000 lb GVW chassis dump body truck with drop side contractors dump body with the following minimum specifications

	YES	NO
General		
Contractor dump body for use on single axle 84"CA 16,000 GVW or larger truck		
Drop side construction		
Bulkhead 10 ga., tailgate double paneled 10 and 12 gauge, and sides double paneled 12 gauge. All steel High Tensile		
Built to accept scissors style hoist		
Pockets on top of sides to accept extension (cheater) boards		
Double Acting tailgate with spreader chains and quick release top pins		
Tailgate release must be positive locking with dump handle at left front corner of body		
LED clearance, marker, and RID lights to meet FMVSS 108		
Body to be E-coat primed and fully undercoated		
Headboard		
One piece 10 ga high tensile, 2 bend top rail, 2 ¼" wide with 1 ½" return flange.		
Fully boxed corner post and full width reinforcement rib for added rigidity		
Integrated Cab Protector Mounting pockets		
Straight Quarter cab protector installed		
Punched window opening for visibility		
Floor		
Two piece 7ga. high tensile, full seam welded		
Sloped floor to side interface to reduce material adhesion to sides		
Length 11ft x Width 7 ft inside dimensions		
Sides		
Sides are slam style with center mounted release handle		
Reinforced with a 4-1/2" x 9-1/2" formed rear corner post from top of tailgate to bottom of cross member.		
Pockets provided front and rear for 2X6		
Drop sides to be removable for easy service and replacement without cutting required		
Side height 16"		
Tailgate and Hardware		
Top hinge member to be 1 ¼" diameter quick release mechanism for dropping gate from top		
Lower latch hardware is overhead hook type latch with 1 1/8" diameter pin, ¾" thick latch		
5/16" spreader chains included with sufficient length to support tailgate in horizontal position		
Formed two piece construction seamless outer 12 ga panel and single 10ga inner wall. Tailgate height 22"		

Tailgate Release system		
Mechanical positive locking operating handle at left front by driver's door		
3/4" diameter cross shafts (front and rear) and 1/2" diameter operating rod running longitudinally down the street side		
Safety restraining ring provided at the handle		
Multiple grease points throughout the system (grease zerks provided)		
Understructure		
Western style (cross memberless construction)		
Long sills are 7" trapezoidal style, full length of body , with internal anti -corrosion coating		
Hoist		
Scissors style hoist of 3/4" high tensile steel construction		
Double acting cylinder with threaded cylinder gland cap to prevent cylinder damage in "load over center" conditions		
Electric/hydraulic pump with in cab pendant controls		
3 year warranty		
8.6 ton capacity		
Automatic Body bracing positioning.		
Other		
Includes mud flaps		
Rear hitch set up for Pintle eye and ball hitch combo with 2" ball		
Trailer plug wiring installed		
Safety D-rings for trailer		
Four Corner strobe System (surface mount)		
Local service center for complete unit including hoist		
Truck Chassis		
Crew Cab 84" CA- cab chassis		
<i>GAS</i> Engine <i>7.3 Liter</i>		
External oil and transmission cooler		
Front frame mounted tow hooks		
4 wheel disc anti-lock brakes		
6 speed automatic transmission		
40/20/40 Vinyl front split seat		
Auto locking rear differential		
Extendable outside mirrors		
Air and AM/FM Radio		
Factory Upfitter switches		
Factory Electric Brake Controller		

SPECIFICATIONS FOR FORD F450 CREW CAB TRUCK WITH LANDSCAPE BODY

Chassis:

- 4 door crew cab
- 16,000 lb GVW chassis dump body
- Crew Cab 84" CA- cab chassis
- 7.3 Liter Gasoline Engine
- External oil and transmission cooler
- Front frame mounted tow hooks
- 4 wheel disc anti-lock brakes
- 6 speed automatic transmission
- 40/20/40 Vinyl front split seat
- Auto locking rear differential
- Extendable outside mirrors
- Air and AM/FM Radio
- Factory upfitter switches
- Factory electric brake controller
- Front four (4) Corner Warning Lights shall NOT be installed in headlight/turn signal/parking light fixtures. Any vehicle delivered with the front four corner warning lights installed in the headlight/turn signal/parking light fixtures will be refused and only accepted once vendor replaces the light fixture with the new ones.
- Rear corner lights shall be separate mounts from rear lights.
- Vehicle(s) are to be delivered with four (4) sets of fully functional keys that include the electronics and are coded to start the vehicles.
- Include the price of application for Certificate of Title in your bid price.
- All standard items as stated in your model literature must remain on vehicle, not removed except as noted
- Mud flaps
- Rear hitch set up for pintle eye and ball hitch combo with 2" ball
- Trailer plug wiring installed
- Safety D-rings for trailer
- Four Corner strobe system (surface mount)
- Vendor shall provide ALL service and parts manuals for these vehicles for use by the City of Mobile.

Body:

- Reading SL-LS-12 54BH/12CG Landscape Body
- A60 coating-weight steel protected by E-Coat acrylic primer and high-gloss polyester finish

- Scissors hoist
- 50 degree dumping angle
- Double-acting electric hydraulic system with an all-weather pump and motor cover, 12 ton capacity
- Hoist assembly includes lubricating grease fittings and hinge assembly
- Safety body prop
- Grease zerks
- In-cab tethered hand-held control
- Black powder coat finish
- 9 ft. length
- 54 inch height
- 12 inch cab guard
- 52 inch side door opening
- 90.5 inch width
- Wired
- 2 inch tie-down bar on each side
- Tarp tie down tension cleats on the top of the body for easy door opening
- Fully welded cab guard, includes integral wind deflector and lashing rings
- Rear swing out barn doors, clear opening doors swing 270 degrees, include cam latch assembly
- Rear door latch, holdbacks mounted on the side of the body to hold the rear door open to access the bed area
- Side swing door, 52 Inch wide door, 180 degree door swing, with two-point cam lock
- Fold away access step located under the side door opening
- Local service center for complete unit including hoist
- 3 year warranty



PROCUREMENT DEPARTMENT

Potential bidders are responsible to check this site for any ADDENDUMS that are issued. It is the responsibility of the BIDDER to check for, download, and include with their BID RESPONSE any and all ADDENDUMS that are issued for a specific BID published by the City of Mobile. Failure to download and include ADDENDUMS in your BID RESPONSE may cause your bid to be rejected.

This is a sealed bid. Any responses faxed or e-mailed will be rejected.

This is a sealed bid. Any response must be submitted in a sealed envelope with the bid number and bid opening date on the outside of the envelope.

Any response that arrives improperly marked or with no bid number and opening date on the outside of the delivery or express package and opened in error will be rejected and not considered.

It is the responsibility of the bidder to ensure that their bid response is delivered to and received in the Purchasing Department before the date and time of the bid opening.

**Be sure to read the Terms and Conditions.
All bids are F.O.B. destination unless otherwise stated.**

Be sure to sign your bid!

**Package/Bid Delivery Address:
Purchasing Department
205 Government St. Room S408
Mobile, AL 36644**

(Request First Delivery)